


AUTOMOTIVE CHEMICAL PRODUCT INFORMATION GUIDE.

JUNE 2018



**BMW
GROUP**

THE NEXT
100 YEARS 





JUNE 2018

AUTOMOTIVE CHEMICAL PRODUCT INFORMATION GUIDE

This guide illustrates automotive chemical products.

Product information includes part number, product fill weight, pack size and minimum order quantity (if different than pack size).

AT-A-GLANCE UPDATES: JUNE 2018

The products below have been added/updated since the last catalog publication:

CURRENT PARTS UPDATED:

- p. 31 - Interior Filter Housing Cleaner - 83 19 2 180 509
- p. 43 - BMW 2C Metal Putty Kit - 83 19 2 288 329

NEW PARTS ADDED:

- p. 8 - BMW Windscreen Cleaner Kit - 83 19 2 450 378
- p. 8, 14 - Windscreen Replacement Bonnet Set - 83 19 2 450 380
- p. 8, 14 - Windscreen Extension Handles - 83 19 2 450 382
- p. 14 - MINI Windscreen Cleaner Kit - 83 19 2 450 379
- p. 15 - MINI Car Air Freshener - 83 12 2 459 015
- p. 17 - ATF-3+ Automatic Transmission Fluid - 83 22 2 289 720
- p. 18 - BMW Group HOC Oil - 83 22 2 413 513
- p. 18 - Hypoid Axle Oil G2 - 83 22 2 413 511
- p. 18 - Hypoid Axle Oil G3 - 83 22 2 413 512
- p. 18 - BMW Hypoid Oil G4 - 83 22 2 447 362
- p. 23 - Diesel Particulate Filter Cleaner - 83 19 2 211 602
- p. 23 - Diesel Particulate Filter Cleaner Kit - 83 19 2 211 603
- p. 24 - Lubricant G14 - 83 23 2 360 412
- p. 25 - Kluber Staburags Lubricating Grease NBU 12K - 83 23 9 407 810
- p. 27 - Tire Paste Applicator Brush - 83 19 2 450 787
- p. 29 - Brake Pad Paste 8 oz - 83 19 2 450 789

Continued on next page

NEW PARTS ADDED (CONTINUED):

- p. 30 - BMW Adaptor Brake Parts Cleaner Sprayer 16 oz - 83 19 2 453 951
- p. 30 - BMW Adaptor Brake Parts Cleaner Sprayer 32 oz - 83 19 2 453 952
- p. 30 - BMW Repair Kit Brake Parts Cleaner Sprayer - 83 19 2 453 953
- p. 33 - BMW Disposable Seat Covers - 83 19 2 455 988
- p. 33 - BMW Disposable Paper Floor Mats - 83 19 2 455 989
- p. 33 - BMW Disposable Steering Wheel Covers - 83 19 2 455 990
- p. 33 - Supro Max Hand Cleaner - 83 19 2 455 980
- p. 33 - Hand Medic - 83 19 2 455 981
- p. 33 - LED LT Safety Glasses - 83 19 2 455 982
- p. 34 - BMW Branded Ear Plugs - 83 19 2 455 983
- p. 35 - Loctite 648 - 07 58 9 067 732
- p. 36 - BMW Grit Guard® Bucket - 83 19 2 450 328
- p. 37 - MINI Grit Guard® Bucket - 83 19 2 450 329
- p. 37 - BMW M5 Lithium Ion Starter Battery - 61 21 7 857 288
- p. 38 - Silicone Remover Concentrate - 83 12 2 298 199
- p. 38 - BMW Dealer Sample Box - 83 19 2 456 761
- p. 38 - Paint Protection Film Positioning Solution - 83 19 2 457 994
- p. 38 - Paint Protection Film Tack Solution - 83 19 2 457 995
- p. 38 - Paint Protection Film Application Bottle Kit - 83 19 2 457 996
- p. 38 - Cavity Protection Wax Remover - 83 12 0 390 086
- p. 45 - Butyl Cord L10m D4 mm - 83 22 2 159 535

For further information please refer to Clear View Portal at clearview.excelda.com.

TABLE OF CONTENTS

ORIGINAL BMW CARE PRODUCTS

6

Paint Care	6
Rim/Tire Maintenance	7
Vehicle Cleaning	8
Convenience Wipes	9
Natural Air	10
Ambient Air	11
Windshield Wash	12

ORIGINAL MINI CARE PRODUCTS

13

Paint Care	13
Rim/Tire Maintenance	13
Vehicle Cleaning	14
Convenience Wipes	15
Air Freshener	15
Windshield Wash	16

SERVICE AND WORKSHOP PRODUCTS

17

Automatic Transmission Fluid	17
Manual Transmission Fluid	18
Hydraulic Oil	21
i Car Service and Care Products	21
Additive	22
Diesel Exhaust	24
Lubricants	24
Brake Fluid	29
Brake Auxiliaries	29
Antifreeze	31
Air Conditioner Service	31
Shop Supplies	32
Sealers/Adhesives/Threadlockers	34
Miscellaneous	36
Body/Paint/Glass Repair	39
Body Repair/Body Shop/Adhesives/Sealers/Tapes	39
Bulk Detailing	45

PRODUCT HIGHLIGHTS

47

Automatic Transmission Fluid	47
Manual Transmission Fluid	48
BMW Aerosol Lube & Protection Spray HTL-S	49
BMW Group Rust Off	50
BMW Group Glass Cleaner	51
Gummi-Pflege Rubber Care Fluid	52
BMW Group Detailing	53

ORIGINAL BMW CARE PRODUCTS

PAINT CARE

BMW Car Wash Shampoo Concentrate

When used as directed, produces a gentle and highly effective solution that gets your vehicle really clean. Removes dirt quickly and thoroughly – without damaging paintwork or protective wax coatings. **WARNING:** Do not use on vehicles with a matte paint finish.

83 19 2 455 136

8 fl oz/237 mL

12 pcs



BMW Express Wax

A highly effective, quick and easy-to-use polish for gloss paints. Specially selective active ingredients seal the paint and refresh the color intensity without heavy polishing. **WARNING:** Do not use on vehicles with a matte paint finish.

83 19 2 455 139

16 fl oz/473 mL

12 pcs



BMW Hard Wax

Provides up to 300% more preservation and wash resistance than traditional waxes. Enhances the shine and color of all standard and metallic paints. **WARNING:** Do not use on vehicles with a matte paint finish.

83 19 2 455 140

8 fl oz/237 mL

12 pcs



BMW Bug, Tar and Treesap Remover

Removes road tar and asphalt from most convertible roofs, paintwork and glass while quickly and gently removing insects from glass, paint, chrome, and plastic surfaces. **WARNING:** Do not use on vehicles with a matte paint finish.

83 19 2 455 138

8 fl oz/237 mL

12 pcs



BMW Matte Paint Special Cleaner

A powerful cleaner for the intensive removal of stains by hand. Thanks to a combination of state-of-the-art tensides, it can remove water-soluble, oil-based or grease-based marks.

83 12 2 293 944

16.9 fl oz/500 mL

1 pc



BMW Matte Paint Special Shampoo

A cleaning concentrate for intensive yet gentle manual car washing. The high-quality, wash-active substances protect the protective layer of paint preserving products and extend the sustainability of these sealings.

83 12 2 293 942

17 fl oz/500 mL

1 pc



ORIGINAL BMW CARE PRODUCTS

BMW Matte Paint Special Express Wax

This temporary sealing compound for in-between polishes and after using the BMW matte paint special cleaner protects matte surfaces quickly and easily. The high-performance wax protects the paint surface.

83 122 293 948 17 fl oz/500 mL 1 pc



BMW Matte Paint Application Set

The set includes two microfiber cloths and three different-sized applicator sponges. The special microfiber cloths, which are not hemmed at the edges, are used to clean the surface with the matte paint special cleaner.

83 122 353 747 Set 1 pc



BMW Matte Paint Special Nano Wax

This long-term sealing compound containing high-tech nano-components and state-of-the-art, high-performance waxes offers ideal protection from salt spray, tree resin and other environmental influences.

83 122 293 949 7 fl oz/200 mL 1 pc



RIM/TIRE MAINTENANCE

BMW Wheel Cleaner Gel

Highly effective, acid-free special cleaner with color indicator for visually checking the effectiveness. Effortlessly removes stubborn grime such as baked-on brake dust, oil and rubber residues and other road grime. Shortly after being applied, the cleaning effect becomes apparent due to the red color, which signals the active shifting of the dirt. The special cleaner can be used on all steel and alloy wheels.

83 192 339 678 16 fl oz/473 mL 12 pcs



BMW Tire Shine

For a gleaming shine and to restore a new look. The tire side walls are protected from brittleness and drying out with the easiest application.

83 192 455 141 16 fl oz/473 mL 12 pcs



ORIGINAL BMW CARE PRODUCTS

VEHICLE CLEANING

BMW Windscreen Cleaner Kit

Kit includes: 1 comfort grip handle (14" long), 1 pivoting triangular cleaning head and 2 microfiber cleaning bonnets (washable and reversible). Extension handle, P/N 83 19 2 450 382, and replacement cleaning bonnets, P/N 83 19 2 450 380, sold separately.



83 19 2 450 378 Kit 6 pcs

Windscreen Replacement Bonnet Set

For use with BMW and MINI Windscreen Cleaner Kits, P/N 83 19 2 450 378 and P/N 83 19 2 450 379, respectively.



83 19 2 450 380 Set 3 pcs

Windscreen Extension Handles

For use with BMW and MINI Windscreen Cleaner Kits, P/N 83 19 2 450 378 and P/N 83 19 2 450 379, respectively.



83 19 2 450 382 Kit 1 pc

BMW Group Odor Remover

The odor remover removes and neutralizes unpleasant odors in the vehicle quickly and easily.



83 19 2 360 464 3.1 fl oz/92 mL 24 pcs

BMW Interior Cleaner

For quick general cleaning of most of the car's interior including glass, chrome, plastic, carpets, trim and headliners.



83 19 2 339 679 8 fl oz/237 mL 12 pcs

BMW Leather Care Set with UV Protection

Cleanses, protects and cares for the leather trim in BMW vehicles. Valuable oils protect the natural properties of the leather. The leather is freshened and the typical smell of the leather is retained. Not for use on suede or Alcantara®.



83 19 2 339 687 Set 6 pcs

ORIGINAL BMW CARE PRODUCTS

BMW Foam Leather Cleaner

For thorough and gentle cleaning of all smooth natural and faux leathers.

83 12 2 298 210

11 fl oz/325 mL

12 pcs



BMW Glass Cleaner with Anti-Fog

Removes greasy and oily soiling as well as the remains of insects and other residues from all glass and mirror surfaces on the inside and outside of the vehicle.

83 19 2 455 137

16 fl oz/473 mL

12 pcs



CONVENIENCE WIPES

BMW Interior Care Wipes

Solvent/silicone-free formula that cleans all interior textile and upholstery surfaces.

83 19 2 286 942

10 wipes

20 pcs



BMW Leather Care Wipes

Designed to clean, condition and protect all smooth leather surfaces. Contains conditioning oils to help maintain and restore natural luster. Also safe to use on vinyl surfaces.

83 19 2 286 941

10 wipes

20 pcs



BMW Window Cleaning Wipes

Smear/streak-free formula. Good at removing bug splatters, water spots, and other soils. Ammonia-free formulation that is safe on factory and aftermarket tinted glass as well as mirrors.

83 19 2 286 940

10 wipes

20 pcs



ORIGINAL BMW CARE PRODUCTS

NATURAL AIR

Natural Air Freshener Starter Kit

The second generation Natural Air Starter Kit comes with a redesigned refillable/adjustable housing and single scent stick in one of the new scents, Sparkling Raindrops.

83 122 298 673 Set 12 pcs



Natural Air Freshener Refill - Balancing Amber

The main components of this fragrance are exotic flowers and different spices. This fragrance is said to have a sweet, spicy note, providing a warm atmosphere.

83 122 285 676 Set 8 pcs



Natural Air Freshener Refill - Energizing Tonic

The main components of this scent are eucalyptus and rosemary. This fragrance is said to have a discreetly spicy note and a stimulating effect.

83 122 285 675 Set 8 pcs



Natural Air Freshener Refill - Purifying Green Tea

The main components of this fragrance are green tea and musk. This fragrance is said to have a fresh and fruity touch and a balancing effect.

83 122 285 674 Set 8 pcs



Natural Air Freshener Refill - Vitalizing Woods

The main components of this fragrance are slightly woody elements, refreshing orange and discreet vanilla. This fragrance is said to have an encouraging aura with a warm-hearted basic note.

83 122 285 677 Set 8 pcs



Natural Air Freshener Refill - Harmonizing Flowers

The main components of this fragrance are jasmine and myrtle. This fragrance is said to encourage well-being.

83 122 285 678 Set 8 pcs



Natural Air Freshener Refill - Sparkling Raindrops

The main components of this fragrance are citrus, lily of the valley and a complex blend of musk. This fragrance is said to have a bright freshness.

83 122 285 679 Set 8 pcs



Natural Air Display

Promotional counter display. Consists of one air freshener holder and 6 refill sticks in a variety of fragrances.

83 192 447 727 1 unit 1 pc



ORIGINAL BMW CARE PRODUCTS

AMBIENT AIR

Ambient Air Blue Suite #1

Exudes a hint of pure pearls of water with its fresh and aquatic scents.

64 11 9 382 585 Set 1 pc



Ambient Air Blue Suite #2

Fills the space with a breath of refreshing sea surf and nuances of mandarin and grapefruit peel.

64 11 9 382 591 Set 1 pc



Ambient Air Green Suite #1

Hyacinth and cardamom communicate the naturalness of a dew-covered green meadow.

64 11 9 382 597 Set 1 pc



Ambient Air Green Suite #2

The composition of moss, mint, and precious wood scent suffuses Green Suite No. 2 with energy of cool forests.

64 11 9 382 603 Set 1 pc



Ambient Air Golden Suite #1

The fine scents of patchouli, violets, and vanilla in Golden Suite No. 1 unfold like a bazaar full of sensual aromas.

64 11 9 382 609 Set 1 pc



Ambient Air Golden Suite #2

With its warm chords of cedar and cardamom, softened with a hint of honey, reminiscent of twilight in a glimmering desert.

64 11 9 382 615 Set 1 pc



Ambient Air Authentic Suite #1

Warm, woody scents, amber and coffee aromas are united with the elegance of stylish nuances of leather.

64 11 9 382 621 Set 1 pc



Ambient Air Authentic Suite #2

Characterized by the facets of lush spices and chords of wood, rounded off with harmonious aromas of sugar cane and candied fruit.

64 11 9 382 627 Set 1 pc



ORIGINAL BMW CARE PRODUCTS

WINDSHIELD WASH

BMW Windshield Washer Concentrate

Provides streakless windshield cleaning.

83 19 2 221 702 16 fl oz/473 mL 12 pcs



BMW Windshield Washer Solvent Cold Weather Concentrate 35%

Provides streakless windshield cleaning.

83 19 2 406 220 55 US gal/208.2 L 1 Drum



BMW Windshield Washer Fluid w/Concentrate (Pre-Mix)

Provides streakless windshield cleaning. Restricted sales to California, Texas and Maricopa County, Arizona.

83 19 2 361 205 1 US gal/3.78 L 48 pcs



BMW Window De-Icer

Quickly thaws frozen windshields and protects against refreezing.

83 12 2 298 200 16 fl oz/473 mL 12 pcs



ORIGINAL MINI CARE PRODUCTS

PAINT CARE

MINI Car Wash Shampoo Concentrate

When used as directed, produces a gentle and highly effective solution that gets your vehicle really clean. Removes dirt quickly and thoroughly – without damaging paintwork or protective wax coatings. **WARNING:** Do not use on vehicles with a matte paint finish.

83 19 2 455 142

8 fl oz/237 mL

12 pcs



MINI Express Wax

A highly effective, quick and easy-to-use polish for gloss paints. Specially selected active ingredients seal the paint and refresh the color intensity without heavy polishing. **WARNING:** Do not use on vehicles with a matte paint finish.

83 19 2 455 145

16 fl oz/473 mL

12 pcs



MINI Hard Wax

High-performance paint protection for all plain lacquer and metal paints. Nano components and powerful polymers effectively protect the paint from scratches caused by car-wash brushes and provide the best long-term protection from road salt, acid rain, insects, tree sap and other environmental effects. Increases the shine and freshens up the color. Also suitable for chrome, painted plastic parts and alloy wheels.

83 19 2 455 146

8 fl oz/237 mL

6 pcs



RIM/TIRE MAINTENANCE

MINI Wheel Cleaner Gel

Highly effective, acid-free special cleaner with color indicator for visually checking the effectiveness. Effortlessly removes stubborn grime such as baked-on brake dust, oil and rubber residues and other road grime. Shortly after being applied, the cleaning effect becomes apparent due to the red color which signals the active shifting of the dirt. The special cleaner can be used on all steel and alloy wheels.

83 19 2 339 688

16 fl oz/473 mL

12 pcs



MINI Tire Shine

For a gleaming shine and good as new look. The tire side walls are protected from brittleness and drying out with the easiest application.

83 19 2 455 147

16 fl oz/473 mL

1 pc



ORIGINAL MINI CARE PRODUCTS

VEHICLE CLEANING

MINI Windscreen Cleaner Kit

Kit includes: 1 comfort grip handle (14" long), 1 pivoting triangular cleaning head and 2 microfiber cleaning bonnets (washable and reversible). Extension handle, P/N 83 19 2 450 382, and replacement cleaning bonnets, P/N 83 19 2 450 380, sold separately.

83 19 2 450 379 Kit 6 pcs



Windscreen Replacement Bonnet Set

For use with BMW and MINI Windscreen Cleaner Kits, P/N 83 19 2 450 378 and P/N 83 19 2 450 379, respectively.

83 19 2 450 380 Set 3 pcs



Windscreen Extension Handles

For use with BMW and MINI Windscreen Cleaner Kits, P/N 83 19 2 450 378 and P/N 83 19 2 450 379, respectively.

83 19 2 450 382 Kit 1 pc



MINI Interior Cleaner

For quick general cleaning of most of the car's interior including glass, chrome, plastic, carpets, trim and headliners.

83 19 2 339 690 8 fl oz/237 mL 12 pcs



MINI Glass Cleaner with Anti-Fog

Removes greasy and oily soiling as well as the remains of insects and other residues from all glass and mirror surfaces on the inside and outside of the vehicle.

83 19 2 455 143 16 fl oz/473 mL 12 pcs



MINI Leather Care Set with UV Protection

Cleanses, protects and cares for the leather trim in MINI vehicles. Valuable oils protect the natural properties of the leather. The leather is freshened and the typical smell of the leather is retained. Not for use on suede or Alcantara®.

83 19 2 405 527 Kit 6 pcs



ORIGINAL MINI CARE PRODUCTS

MINI Bug, Tar and Treesap Remover

Removes road tar and asphalt from most convertible roofs, paintwork and glass while quickly and gently removing insects from glass, paint, chrome, and plastic surfaces. WARNING: Do not use on vehicles with a matte paint finish.

83 19 2 455 144 8 fl oz/237 mL 12 pcs



MINI Car Care Sample Kit

Contains glass cleaner, interior cleaner, windshield cleaner concentrate without antifreeze, 1 sprayer attachment, and 1 blue microfiber cloth.

83 19 2 347 973 Contains multiple parts 10 pcs



CONVENIENCE WIPES

MINI Interior Wipes

Solvent/silicone-free formula that cleans all interior textile and upholstery surfaces.

83 19 2 286 943 10 wipes 20 pcs



MINI Leather Cleaning Wipes

Designed to clean, condition and protect all smooth leather surfaces. Contains conditioning oils to help maintain and restore natural luster. Also safe to use on vinyl surfaces.

83 19 2 405 526 10 wipes 20 pcs



MINI Magic Window Cleaning Wipes

Smear/streak-free formula. Good at removing bug splatters, water spots, and other soils. Ammonia free formulation that is safe on factory and aftermarket tinted glass as well as mirrors.

83 19 2 364 895 10 wipes 20 pcs



AIR FRESHENER

MINI Car Air Freshener

The new interior fragrance from MINI with its Black Orange scent spreads a refreshing odor throughout the interior of the car using its ventilation system. It is secured by simply placing the pimple in the ventilation grille.

83 12 2 459 015 Box 24 pcs



ORIGINAL MINI CARE PRODUCTS

WINDSHIELD WASH

MINI Windshield Washer Concentrate

Provides streakless windshield cleaning.

83 19 2 221 704 16 fl oz/473 mL 12 pcs



MINI Windshield Washer Fluid w/Concentrate (Pre-Mix)

Provides streakless windshield cleaning. Restricted sales to California, Texas and Maricopa County, Arizona.

83 19 2 361 206 1 US gal/3.78 L 48 pcs



BMW Windshield Washer Solvent Cold Weather Concentrate 35%

Provides streakless windshield cleaning.

83 19 2 406 220 55 US gal/208.2 L 1 Drum



MINI Window De-Icer

Quickly thaws frozen windshields and protects against refreezing.

83 19 2 405 528 16 fl oz/473 mL 12 pcs



SERVICE AND WORKSHOP PRODUCTS

AUTOMATIC TRANSMISSION FLUID

MINI ATF Type JWS 3309

Refer to Owner's Manual or TIS for specific lubricant applications. **See Product Highlight page 47.**

83 222 220 438 33.8 fl oz/1 L 6 pcs



ATF-1 (Automatic Transmission Fluid ETL 7045 E)

For use in A5S 360R (GM5), A5S 390R (GM5) and other transmissions specifying use of ETL 7045 E automatic transmission fluid. Refer to Owner's Manual or TIS for specific lubricant applications. **See Product Highlight page 47.**

83 222 2305 395 33.8 fl oz/1 L 12 pcs



ATF-2 (previously M 1375.4 Automatic Transmission Fluid)

Comparable to API GL-3 to GL-4 performance levels. Refer to Owner's Manual or TIS for specific lubricant applications. **See Product Highlight page 47.**

83 222 220 445 33.8 fl oz/1 L 12 pcs



ATF-3+ Automatic Transmission Fluid

For use in vehicles with transmissions specifying BMW ATF-3+ or equivalent fluids.

83 222 289 720 33.8 fl oz/1 L 12 pcs



DEXRON®-VI Automatic Transmission Fluid

For service only in GM Allison transmissions specifying DEXRON®-VI fluid. Maintains original shift quality through recommended change interval, with anti-wear and rust corrosion prevention. Controls oxidation and helps reduce the formation of deposits. Controls friction and retains anti-foaming characteristics. Possesses the correct properties for low-temperature operation. Refer to service manual. **See Product Highlight page 47.**

83 222 163 514 33.8 fl oz/1 L 6 pcs

83 220 397 114 1.06 US gal/4 L 4 pcs



ATF-4 (previously LT 71141/ATF 1)

For use in BMW vehicles with ZF transmissions requiring ATF-1 or LT71141 automatic transmission fluids. Always refer to service manual for fluid recommendations. **See Product Highlight page 47.**

83 222 220 442 33.8 fl oz/1 L 12 pcs



SERVICE AND WORKSHOP PRODUCTS

ATF-5 (previously MINI EM-CVT EZL 799 A)

For use in 2002–2006 MINI vehicles equipped with CVT specifying EZL 799 A automatic transmission fluid. Refer to Owner's Manual or TIS for specific lubricant applications. See Product Highlight page 47.

83 222 344 207 33.8 fl oz/1 L 12 pcs



ATF-6

See operating instructions for application. See Product Highlight page 47.

83 222 355 599 33.8 fl oz/1 L 12 pcs



MANUAL TRANSMISSION FLUID

BMW Group HOC Oil

API GL-4.

83 222 413 513 28.7 fl oz/850 mL 12 pcs



Hypoid Axle Oil G2

Specially designed oil for the high demands of BMW front axle transmission. Reduces torque loss and improves the efficiency of the axle drive. For use with the front axle differential, which is no longer operated with BMW synthetic OSP.

83 222 413 511 16.9 fl oz/500 mL 6 pcs



Hypoid Axle Oil G3

Performance-optimized rear-axle transmission oil which has been specially developed for the high demands of BMW rear-wheel drive gearboxes. The oil reduces warranty and repair costs, reduces torque loss, and improves the efficiency of the axle drive.

83 222 413 512 16.9 fl oz/500 mL 6 pcs



BMW Hypoid Oil G4

Transmission oil for the HAG with carbon multi-disc lock.

83 222 447 362 16.9 fl oz/500 mL 6 pcs



SERVICE AND WORKSHOP PRODUCTS

DTF 1

SAE 75W. GL-4. For use in 4 wheel and all wheel drive systems specifying Type TF 0870 fluid. Refer to Owner's Manual or TIS for specific lubricant applications. **See Product Highlight page 48.**

83 22 2 409 710

33.8 fl oz/1 L

12 pcs



MTF-LT-4

SAE 75W-90. For use in vehicles equipped with manual transmissions specifying MTF-LT-4. Do not mix transmission fluids. Refer to Owner's Manual or TIS for specific lubricant applications. **See Product Highlight page 48.**

83 22 2 339 223

33.8 fl oz/1 L

12 pcs



MTF-LT-3

SAE 75W. For use in vehicles equipped with manual transmissions specifying MTF-LT-3. Do not mix transmission fluids. Refer to Owner's Manual or TIS for specific lubricant applications.

83 22 2 339 221

33.8 fl oz/1 L

12 pcs



MTF-2 (previously MTF 94)

API GL-4. For use in MINI 6-speed transmissions and 5-speed (R65) transmissions from Getrag specifying MTF 94 gearbox oil. Refer to Owner's Manual or TIS for specific lubricant applications. **See Product Highlight page 48.**

83 22 2 344 589

33.8 fl oz/1 L

12 pcs



MTF-1 (SAE-80)

See operating instructions for application. **See Product Highlight page 48.**

81 22 2 339 384

33.8 fl oz/1 L

12 pcs



Final Drive Gear Oil C-SAF-XO SAE 75W-90

API GL-5. Refer to Owner's Manual or TIS for specific lubricant applications. **See Product Highlight page 48.**

07 51 2 293 972

33.8 fl oz/1 L

12 pcs



SERVICE AND WORKSHOP PRODUCTS

SAF Carbon Mod Gear Oil SAE 75W-85

API GL-5. Refer to Owner's Manual or TIS for specific lubricant applications.

83 12 0 445 832 16.9 fl oz/500 mL 3 pcs



SAF-XJ +FM Booster Rear Axle Fluid SAE 75W-140

API GL-5. Refer to Owner's Manual or TIS for specific lubricant applications.

83 22 2 282 583 16.9 fl oz/500 mL 3 pcs



Final Drive Gear Oil SAF-XJ

SAFXJ Rear Axle Fluid SAE 75W-140. See Product Highlight page 48.

83 22 2 357 992 33.8 fl oz/1 L 12 pcs



MTF-LT-5 SAE 75W-80

Comparable to API GL-3 to GL-4 performance levels. Refer to Owner's Manual or TIS for specific lubricant applications. See Product Highlight page 48.

83 22 2 239 654 33.8 fl oz/1 L 12 pcs



DCTF-1 Double Clutch Fluid SAE 75W

For use in vehicles equipped with transmissions specifying the use of BMW DCTF-1 fluid only. Do NOT mix DCTF-1 with any other transmission fluids. Refer to Owner's Manual or TIS for specific lubricant applications. See Product Highlight page 48.

83 22 0 440 214 33.8 fl oz/1 L 12 pcs



BMW Service Fluid Rack

BMW Service Fluid Rack (Promotion)

- 1 Rack
- 1 Header Card
- 1 Footer Card
- 1 ATF-1 (1L)
- 1 MTF-2 (1L)
- 1 MTF-LT-3 (1L)
- 1 MTF-LT-4 (1L)

83 22 2 361 204 Contains multiple parts 1 Kit



SERVICE AND WORKSHOP PRODUCTS

MINI Service Fluid Rack

MINI Service Fluid Rack (Promotion)

- 1 Rack
- 2 Header Cards (changeable)
- 1 Footer Card
- 1 case x ATF-5 (1L)
- 1 case x MTF-2 (1L)
- 2 cases x JWS 3309 (1L)

83 22 2 361 567

Contains multiple parts

1 Kit



HYDRAULIC OIL

Pentosin CHF 11S

Hydraulic oil for steering systems, ACS, level control, etc. IMPORTANT: Do not mix it with other hydraulic oils! Refer to Owner's Manual or TIS for specific lubricant applications.

83 29 0 429 576

33.8 fl oz/1 L

6 pcs

(Min. order: 12 pcs)



i CAR SERVICE AND CARE PRODUCTS

ITF

Transmission fluid for i8 vehicles. Please refer to Owner's Manual or TIS.

83 22 2 365 760

33.8 fl oz/1 L

1 pc



Plastic Repair Adhesive

Plastic repair sealant.

51 91 0 398 691

1.7 fl oz/50 mL

1 pc



i3 Heat Sys Cir Cool Concentrate

The only heat exchange fluid authorized by BMW for the use in the coolant circuit of the heating system in the BMW i3. The concentrated fluid must be diluted with distilled water prior to addition to the coolant circuit system.

83 51 2 355 296

33.8 fl oz/1 L

6 pcs



SERVICE AND WORKSHOP PRODUCTS

PureCare Wood & Kenaf

This care product with bio sandalwood extract for wood and kenaf provides natural care for the sustainable new raw materials.

83 19 2 413 661 10 fl oz/296 mL 6 pcs



PureCare Leather & Upholstery

The leather and upholstery cleaner with bio orange oil extract has been developed specifically for high-quality leather, faux leather and car mats.

83 19 2 413 662 10 fl oz/296 mL 6 pcs



PureCare Leather Care Balsam

The leather care balsam with bio olive oil has been developed specifically to care for the high-quality leather in your BMW. The natural components not only keep the leather supple, but also protect it against daily wear. The balsam is absorbed quickly by the leather and does not leave a greasy film.

83 19 2 413 663 10 fl oz/296 mL 6 pcs



PureCare Window Cleaner

The window cleaner with bio grapefruit extract is a mild composition with a strong impact.

83 19 2 413 664 10 fl oz/296 mL 6 pcs



PureCare Product Kit

Contains all PureCare products in a stand-up pouch.

83 19 2 413 665 Kit 4 pcs



ADDITIVE

Fuel Injection & Induction System Cleaner Concentrate

A special cleaner concentrate to clean the fuel injectors, induction system and combustion chamber of harmful deposits. For repair procedures please refer to SI B13 01 07.

82 14 0 428 376 16 fl oz/473 mL 12 pcs



SERVICE AND WORKSHOP PRODUCTS

BMW Fuel System Cleaner Plus

Regular use of BMW Group Fuel System Cleaner Plus can help address carbon deposits. By removing these deposits, an engine may experience restored power, performance and fuel efficiency, a smoother idle running, lower emissions, and reduced octane requirement. Refer to Fuel Systems in the TIS.

82 14 0 413 341 20 fl oz/591 mL 6 pcs (Min. order: 12 pcs)



MINI Fuel System Cleaner Plus

Cleans your MINI's entire fuel system. Restores lost fuel efficiency, power and performance. Cleans and protects fuel gauge sensors.

82 14 2 186 158 12 fl oz/354 mL 6 pcs



BMW Turbo Charger Additive

For the initial fill of turbo chargers before installation. Reduces friction and wear. Increases operational reliability.

83 19 2 362 168 20 g/0.705 oz 12 pcs



Oil Additive LZ6178

Additive Lubrizol 6178 removes squeaking sounds in hydraulic power steering systems with ATF hydraulic oil (PUMA measure).

83 29 0 434 684 1.69 fl oz/50 mL 1 pc



Diesel Particulate Filter Cleaner

A highly effective fluid used for cleaning clogged diesel particulate filters. The Diesel Particulate Filter Cleaner dissolves contaminants in diesel particulate filters. Returns optimum vehicle handling, engine performance and lowers fuel consumption.

83 19 2 211 602 16.9 fl oz/500 mL 6 pcs



Diesel Particulate Filter Cleaner Kit

The Diesel Particulate Filter Cleaner Starter Kit comes with one pressure cap gun, a cavity spray tube, and 6 bottles of Diesel Particulate Filter Cleaner, P/N 83 19 2 211 602.

83 19 2 211 603 Kit 1 pc



SERVICE AND WORKSHOP PRODUCTS

DIESEL EXHAUST

Diesel Exhaust Fluid

ALDEHYDE FREE, NO_x reducing treatment for diesel engines equipped with SCR, Selective Catalytic Reduction Systems. Meets or exceeds the stringent AUS 32, DIN 70070, ISO 22241 standards for purity and concentration. Do not mix with diesel fuel.

83 19 0 440 158	2.5 US gal/9.46 L	2 pcs	(Min. order: 8 pcs)
83 19 0 441 139	0.5 US gal/1.89 L	4 pcs	(Min. order: 8 pcs)
83 19 2 357 987	55 US gal/3.79 L	1 Drum	



Diesel Misfueling Protection Bypass Adaptor

The BMW's fuel-filler neck is equipped with a diesel misfueling protection system to prevent gasoline from being pumped into the vehicle. This Diesel Misfueling Protection Bypass Adaptor can be used to refuel the vehicle in emergency circumstances where the fuel station is using the approved diesel fuel, but has a nonconforming-sized diesel filling nozzle (for instance: gasoline nozzles have a smaller, 21mm diameter), or is using a commercial-sized diesel nozzle.

16 11 0 440 157	Kit	1 pc	
-----------------	-----	------	--



LUBRICANTS

Lubricant G14

Lubricant G14 is the only BMW-approved product for installing window guide rubber. No micro damage to the rubber during installation. Caution: only for a short-term lubricating effect. Not suitable for long-term lubrication.

83 23 2 360 412	30.4 fl oz/900 mL	3 pcs	
-----------------	-------------------	-------	--



Kluber Starburags NBU 30 PTM

Assembly grease resistant to water and protects against fretting corrosion.

07 55 9 056 992	50 g/1.76 oz	1 pc	
-----------------	--------------	------	--



Molykote 11 1 Compound

A silicone-based valve lubricant and sealant for tire valves.

11 00 7 660 832	100 g/3.5 oz	1 pc	
-----------------	--------------	------	--



Castrol Optimol Paste

High-temperature paste to prevent butterfly valve jamming when opening up to 2nd stage, E36/M42 starting with model year 1994. Operating temperature range up to 1100 °C.

18 21 9 062 599	100 g/3.5 oz	1 pc	
-----------------	--------------	------	--



SERVICE AND WORKSHOP PRODUCTS

Hydraulic Fluid for Convertible Tops

Hydraulic fluid for convertible top/lids.

54 34 0 394 395 8.45 fl oz/250 mL 1 pc



Front Axle Kit

Repairs clicking noises from the front axle area while maneuvering at low speeds (i.e., parking lot maneuvers) on E70/E71/F01/F02/F04/F07/F10/F12/F13 Models. See SI Bulletin B31 01 12 July 2012 for detailed repair procedures.

83 19 2 298 825 Kit 1 pc



Kluber Staburags Lubricating Grease NBU 12K

Long-term grease for rolling and plain bearings. Offers high corrosion and wear protection, with good resistance to ambient media. Counteracts tribocorrosion. Has a sealing effect when exposed to saltwater.

83 23 9 407 810 100 g/3.52 oz 1 pc



Sliding Agent KSP105

Perfluorinated high-performance lubricant.

83 23 0 309 627 50 g/1.75 oz 1 pc



Protective Contact Grease KF1

For E60, E61, E63, E64 Battery Cable Covers - According to VIN Selection. Refer to AG Service Information 0061560300.

83 19 2 295 229 50 g/1.76 oz 6 pcs



Lubricating Grease HT 1LF

Lubricating grease for repairs (disassembly/assembly/overhaul) on driveshaft and replacing the radial shaft sealing ring (RWDR) on rear axle transmission input.

83 23 0 417 754 50 g/1.7 oz 1 pc



Grease MI-Setral-43N

Lubricating grease.

83 23 2 152 082 50 g/1.76 oz 1 pc



SERVICE AND WORKSHOP PRODUCTS

Sun Roof Lubricant

Recommended track lubricant for sun roofs.

83 19 2 157 321 20 g/0.7 oz 1 pc



Longtime C-PD1 Lubricating Grease

High-pressure grease for long-term lubrication. Maximum load carrying capacity. Optimal wear protection under heavy loads, low coefficient of friction temperature-decreasing, anticorrosive, cold and hot water-resistant. For extreme long-term use even under severe operating conditions.

83 19 2 160 340 400 g/14.1 oz 1 pc



Special Lubricating Grease with EP Additives

Special lubricating grease for assembly and lubrication of contacts. Neutral towards elastomers and plastics. Especially suitable for motor vehicle brakes.

83 23 9 407 778 100 g/3.5 oz 1 pc



S2 Grease

Clutch grease for lubricating the input shaft.

83 23 9 416 138 40 g/1.4 oz 1 pc



ActiveE Trans Shaft Replacement Kit

For 2011 1 Series Active(E) (E82E) transmission maintenance.

27 21 8 604 187 1 pack 1 pc



Brake Pedal Assembly Aid

This product serves as an aid for the assembly of stainless steel pedals and is applied to the pedal using an atomizer.

83 19 0 417 324 16.9 fl oz/500 mL 1 pc



Tire Fitting Paste

Makes it easier to fit car and truck tires. This product can be easily washed off with water, and is non-corrosive.

81 22 0 433 046 3.5 kg/7.72 lbs 1 pc



SERVICE AND WORKSHOP PRODUCTS

Tire Paste Applicator Brush

For use with Tire Fitting Paste, P/N 81 22 0 433 046.

83 19 2 450 787 1 pack 1 pc



Special Sliding Grease

Eliminates creaking noises on transition from door joint sealing and roof rail.

83 19 9 408 523 1 fl oz/30 mL 1 pc



Paste MP 3

White anti-seize paste containing solid particles.

07 55 9 062 476 100 g/3.5 oz 1 pc



Grease Urethyn E2

High-temperature grease (-20 °C to 200 °C, -4 °F to 392 °F) for lubricating the injector shaft of CR magnet valve injectors and piezo injectors for NGD.

83 23 0 441 070 50 g/1.7 oz 1 pc



GKY H-15 Grease

High temperature grease for constant velocity joints.

83 23 2 179 705 100 g/3.4 oz 1 pc



Grease One Lube Improved

Grease for tripod joints, front cv/axle joints.

83 23 2 179 708 110 g/3.9 oz 1 pc



GE Assembly Grease

Specific design for i3 and i8, for drive train lubrication.

83 23 2 357 146 5 g/0.17 oz 1 pc



Copper Paste

Multi-purpose paste for all detachable joints at high temperatures and corrosive conditions, even after long periods of time.

81 22 9 400 794 3.7 oz/100 mL 1 pc



SERVICE AND WORKSHOP PRODUCTS

Hypoid Axle Oil G1

For BMW vehicles with non-limited slip differential axles manufactured from 6/2011.
For after sales service only.

83 22 2 295 532 16.9 fl oz/500 mL 3 pcs



GE Cleaner

Specific design for i3 and i8, to clean parts that will be greased with GE assembly grease.

83 23 2 357 553 10.1 fl oz/300 mL 1 pc



Lubricating Grease FB-1

Lithium soaped grease, special grease for lubricating the rack and pinion steering.

83 23 2 208 093 100 g/3.7 oz 1 pc



Olistamoloy 2 LN 584 LO

Lubricant for constant velocity shafts.

83 19 0 447 919 100 g/3.7 oz 1 pc



Lubrizol 6178

Additive removes squeaking sounds in hydraulic power steering systems with ATF hydraulic fluid.

83 29 0 434 684 1.7 fl oz/50 mL 1 pc



Renolit CX-CVM1 Lubricating Grease

For repair kit drive shaft bellows.

83 19 2 286 016 100 g/3.7 oz 1 pc



Renolit CX-CVL1 Lubricating Grease

For repair kit drive shaft bellows.

83 19 2 286 017 100 g/3.7 oz 1 pc



SERVICE AND WORKSHOP PRODUCTS

Grease Unirex N3

High-temperature multi-purpose grease for lubricating different types of roller bearings.
Temperature range: -20 °C to 150 °C.

83 192 160 349 400 g/14.1 oz 1 pc



BMW Aerosol Lube & Protection Spray HTL-S

Non-chlorinated formula that removes corrosion and helps to free frozen fittings.
See Product Highlight page 49.

83 192 446 565 467 g/16.5 oz 12 pc



BRAKE FLUID

BMW DOT 4 Motor Vehicle Brake Fluid

Conforms to FMVSS NO. 116 and SAE J1703.
Minimum wet boiling point 311 °F (155 °C).
Minimum dry boiling point 446 °F (230 °C).

81 220 142 156 12 fl oz/355 mL 12 pcs

81 220 142 155 1 US gal/3.785 L 4 pcs



MINI DOT 4 Motor Vehicle Brake Fluid

Conforms to FMVSS NO. 116 and SAE J1703.
Minimum wet boiling point 311 °F (155 °C).
Minimum dry boiling point 446 °F (230 °C).

81 220 146 735 12 fl oz/355 mL 12 pcs



BRAKE AUXILIARIES

Brake Pad Paste 8 oz

An anti-seize compound and extreme-pressure lubricant that protects metal parts against rust, corrosion and seizure up to 1800 °F (982 °C). Fine metallic and graphite particles in special grease protects parts even in high heat, high pressure and corrosive environments.

83 192 450 789 227 g/8 oz 12 pcs



Brake Pad Paste

Eliminates brake squeals and noises. Apply to clean shafts, piston tops, lining base plates and spacing plates. DO NOT apply to friction lining.

83 122 296 187 0.169 fl oz/5 mL 100 pcs



SERVICE AND WORKSHOP PRODUCTS

Brake Parts Cleaner Ultra Low VOC/Non-Chlorinated

Meets SCAQMD Rule 1171 requirements for unlimited use. Quickly removes grease and oil. Dries fast with no residue. Cleans brake drums, liners, cylinders and springs. Contains no chlorinated solvents or CFCs.

83 19 2 451 316	368 g/13 oz	12 pcs
83 22 2 451 318	55 US gal	1 Drum



Brake Parts Cleaner 45% VOC

Quickly removes grease and oil. Dries fast with no residue. Contains no chlorinated solvents or CFC propellants. For metal brake parts only. This product is not for sale for use in California, Utah, or other states that prohibit 45% VOCs in Brake Cleaners. A Xylene-free, low odor formula that cleans away grease and oil from metal brake parts. Fast drying. Won't strip brake caliper paint and won't melt nitrile gloves. Available in 45% and 10% VOC Formulations (check with your state and local regulatory laws for the correct formula for your area). Compatible with the Brake Parts Cleaner Refill System and Refillable Cans.

83 19 2 451 315	397 g/14 oz	12 pcs
83 22 2 451 317	55 US gal	1 Drum



BMW Group Bulk Brake Parts Cleaner Sprayer Kit

Refillable atomizer spray used with the Brake Parts Cleaner Refill System, P/N 83 22 2 451 311. Adaptor sold separately, P/N 83 19 2 453 952. Includes:

- 1 Spray Nozzle Tip
- 1 Pin-Stream Nozzle Tip
- 1 Valve Adaptor for Pin-Stream Nozzle

83 22 2 357 989	32 oz/multiple parts	1 Kit
83 19 2 453 950	16 oz/multiple parts	1 Kit



BMW Adaptor Brake Parts Cleaner Sprayer

Adaptor needed for the 16 oz Brake Parts Cleaner Sprayer Kit, P/N 83 19 2 453 950.

83 19 2 453 951	16 oz	1 pc
-----------------	-------	------



BMW Adaptor Brake Parts Cleaner Sprayer

Adaptor needed for the 32 oz Brake Parts Cleaner Sprayer Kit, P/N 83 22 2 357 989.


83 19 2 453 952	32 oz	1 pc
-----------------	-------	------



BMW Repair Kit Brake Parts Cleaner Sprayer

For repairing the 16 oz Brake Parts Cleaner Sprayer Kit, P/N 83 19 2 453 950.

83 19 2 453 953	16 oz	1 pc
-----------------	-------	------



SERVICE AND WORKSHOP PRODUCTS

Repair Kit for Brake Parts Cleaner Spray

For repairing the 32 oz BMW Brake Parts Cleaner Sprayer set.

83 19 2 449 394 Kit 1 pc



Brake Parts Cleaner Refill System

Automated 16 oz filling system that pressurizes in seconds without removing the filler cap. Refillable 16 oz cans P/N 83 19 2 453 950, 32 oz cans P/N 83 22 2 357 989 and adaptors P/N 83 19 2 453 951, 83 19 2 453 952 sold separately.

83 22 2 451 311 453 g/16 oz 1 pc



ANTIFREEZE

BMW Antifreeze/Coolant

Meets ASTM D 3306.

82 14 2 209 769 33.8 fl oz/1 L 6 pcs

82 14 1 467 704 1 US gal/3.785 L 6 pcs (Min. order: 18 pcs)



MINI Antifreeze/Coolant

Meets ASTM D 3306. Refer to proper MINI Operator's Manual.

82 14 0 031 133 1 US gal/3.785 L 6 pcs (Min. order: 18 pcs)



AIR CONDITIONER SERVICE

R134a Air Conditioner Compressor Oil

Use this oil only in applicable compressor models as identified in Service Manuals and Technical Bulletins.

82 11 1 468 042 8.45 fl oz/250 mL 1 pc



Air Conditioning System Cleaner

Formaldehyde-free special cleaner for air conditioning systems. Innovative, highly effective cleaning components ensure permanent freedom from odors for air conditioning systems.

83 19 2 180 507 33.8 fl oz/1 L 1 pc



Interior Filter Housing Cleaner

Special Cleaner for the pollen filter housing and the adjacent air ducts of air conditioning systems in cars.

83 19 2 180 509 42.5 g/1.5 oz 1 pc



SERVICE AND WORKSHOP PRODUCTS

R-134a Refrigerant Gas

Convenient 480 oz non-returnable cylinder meets the needs of model vehicles equipped with R-134a systems.

83 19 2 221 349 480 oz cylinder 480 oz



R-1234yf Refrigerant Gas

Convenient 10 lb/160 oz non-returnable cylinder meets the needs of model vehicles equipped with R-1234yf system.

83 19 2 446 563 10 lbs/160 oz 160 oz



Compressor Oil SP-A2

Special refrigerator oil only for lubricating compressors used in vehicle A/C systems that are operated with R-1234yf refrigerant.

83 22 2 339 920 8.45 fl oz/250 mL 1 pc



SHOP SUPPLIES

BMW Group Rust Off

Designed to remove corrosion and free frozen fittings. Product is great for cleaning and protecting from rust. **See Product Highlight page 50.**

83 19 2 446 564 312g/11 oz 12 pcs



BMW Group Glass Cleaner

Excellent for windows, mirrors, windshields, and other glass surfaces; Amonia-free; streakless shine. **See Product Highlight page 51.**

83 19 2 446 567 539g/19 oz 12 pcs



BMW Group Automatic Car Wash Soap

An excellent high-foaming neutral car wash detergent. The perfect concentrate for automatic and manual applications.

83 19 2 456 456 55 US gal/208.2 L 1 Drum



BMW Group Automatic Car Wash Soap, California

A great, quick and minimal rinse option to help conserve water. Formulated with non-hazardous, safe and biodegradable ingredients to provide a great option for an environmentally-friendly car wash.

83 19 2 456 457 55 US gal/208.2 L 1 Drum



SERVICE AND WORKSHOP PRODUCTS

BMW Group Automatic Car Wash Drying Agent

This product is designed to accelerate the drying process by quickly breaking water away from vehicles surface. Created for use in automatic, conveyor and self-service washes.

83 19 2 456 458 55 US gal/208.2 L 1 Drum



BMW Disposable Seat Covers

Seat Covers are disposable and recyclable. Standardized design protects bucket, bench and split seats. Multi-layer construction ensures that the seat cover stays in place throughout the entire service process.

83 19 2 455 988 500/roll 1 pc



BMW Disposable Paper Floor Mats

Keep dirt, grease, oil, spills, leaks or other shop fluids out of your customer's vehicle during service.

83 19 2 455 989 500/box 1 pc



BMW Disposable Steering Wheel Covers

Protects steering wheels from grease, drips and spills. Universal fit.

83 19 2 455 990 500/box 1 pc



Supro Max Hand Cleaner

Non-drying formula hand cleaner with walnut scrubbers that remove sticky soils and adhesives. The unique blend of cleaners, skin conditioners and gentle scrubbers leave skin conditioned and feeling healthy.

83 19 2 455 980 1 US gal/3.78 L 2 pcs



Hand Medic

This silicone- and fragrance-free formula rubs in quickly and nourishes skin, with no greasy residue.

83 19 2 455 981 8 fl oz/236 mL 6 pcs



LED LT Safety Glasses

Allows the wearer to work hands-free thanks to LED lights on the temples. The lights swivel to direct light where needed most. Long-lasting batteries provide up to 50 hours of continuous use. Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007.

83 19 2 455 982 1 pack 10 pcs



SERVICE AND WORKSHOP PRODUCTS

BMW Branded Ear Plugs

For all-day wear with great protection. Ultra-soft foam is tapered for easy insertion. Includes orange, red, pink and purple assortment. Noise Reduction Rating 32 dB CSA Class AL.

83 19 2 455 983 1 pack 100 pcs



SEALERS / ADHESIVES / THREADLOCKERS

Rubber Profile Adhesive

Powerful, heat-resistant adhesive for rubber profile, rubber mats, leather, artificial leather, felt and sound-proofing materials.

83 19 2 232 322 430 g/15.16 oz 1 pc



Adhesive Sealant S-221

High-adhesion, polyurethane-based sealing compound for connecting and overlapping joints, apron panels, trims, floor assemblies etc. and for various sealing tasks. Color: Black.

83 12 2 293 636 10 fl oz/300 mL 1 pc



Liquid Gasket 518

Single component, medium strength, anaerobic sealant which cures when confined in the absence of air between close-fitting metal surfaces. Typical applications include sealing close-fitting joints between rigid metal faces and flanges. Provides resistance to low pressures immediately after assembly of flanges. Typically used as a form-in-place gasket on rigid flanged connections, e.g., gearbox and engine casings, etc.

83 12 2 293 637 1.69 fl oz/50 mL 1 pc



L-171000 Primer

For use with Flange Sealant L-128357 P/N 83 19 7 536 051.

83 19 7 515 683 0.135 fl oz/4 mL 1 pc



5203 Flange Sealant

For sealing tightly spaced connections between rigid metallic sealing and flange surfaces. Leakproof against low pressure immediately after flange installation. The product quickly cures under air exclusion between tightly spaced metallic surfaces.

83 19 0 422 969 1.69 fl oz/50 mL 1 pc



Flange Sealant L-5970

For sealing of metal parts which have to be oil resistant.

83 19 0 404 517 1.69 fl oz/50 mL 1 pc



SERVICE AND WORKSHOP PRODUCTS

Polyurethane Sealant

Permanently elastic, white bodywork sealing compound, fast-drying and can be varnished after approximately 30 minutes. For all joints, welding seams and spot welds; in particular for visible seams that are to be varnished.

83 19 2 210 419 10.48 fl oz/310 mL 1 pc



Dow Sealing Compound

One-part, self-priming, noncorrosive, alkoxy-cure, RTV silicone rubber designed for automotive powertrain sealing applications. Applications: automotive flange sealing, engine and transmission oil pans and axle cover seals, coolant system seals, and engine block main seals.

07 58 0 397 777 1.18 fl oz/35 mL 1 pc



Liquid Flange Sealant L-243

Medium strength. Secures screws, nuts and stud screws against loosening due to vibrations as well as sealing. For threads up to M36.

83 19 2 210 339 0.33 fl oz/10 mL 1 pc



Loctite 577

For the locking and sealing of metal threaded pipes and fittings. Particularly suitable for use on stainless steel without the need for surface activation.

33 11 2 328 736 1.69 fl oz/50 mL 1 pc



Loctite 648

High-strength retaining compound that is ideal for clearance or interface fit parts. Excellent for dynamic, axial and radial loads. Bonds through contaminants including oils and corrosion protection fluids. Cures rapidly on metals without an activator.

07 58 9 067 732 5.5 g/0.19 oz 1 pc



Adhesive L-2701

Used to permanently secure and seal threaded joints, high-strength. Particularly suitable for passive materials and for applications where maximum resistance to hot oil is required.

33 17 2 331 095 0.33 fl oz/10 mL 1 pc



Screw Lock 270

For high-strength connections up to M48. For securing and sealing screws and nuts against impacts and vibration. Hardens quickly.

83 19 2 210 337 0.33 fl oz/10 mL 1 pc



SERVICE AND WORKSHOP PRODUCTS

Adhesive Loctite 454

Universal instant adhesive gel for use with metals, composite materials, wood, cork, foam, leather, cardboard, paper and ceramics. Good filling properties.

07 58 9 062 157 20 g/0.7 oz 1 pc



Loctite 638

Special jointing product with very large gap filling properties and fast hand tightness. For gap widths up to .25mm. Temperature resistant up to 150 °C and hand tight after only 5 minutes.

81 22 9 407 420 55 g/1.94 oz 1 pc



BMW BL-K2 for Remote Engine Start

83 19 2 444 028 6.76 fl oz/200 mL 1 pc



Applicator for K2 Adhesive

For use with BL-K2 for Remote Engine Start P/N 83 19 2 444 028

83 19 2 446 568 3.25 lbs 1 pc



Metering Nozzle Needles

Metering nozzle needles for Loctite 193140.

83 19 2 345 991 1 pack 10 pcs



MISCELLANEOUS

Clinker Floor Tile Cleaner

For cleaning workshop floors, machinery, lifting ramps and tools. Removes oily, greasy and other contamination.

83 19 2 361 201 5.28 US gal/20 L 1 pc



BMW Grit Guard® Bucket

The Grit Guard® bucket helps to provide a clean, scratch-free wash. Dirt and grit will settle through the insert, providing a barrier between the clean water at the top and the dirt, grit and grime that settle to the bottom of the bucket.

83 19 2 450 328 1 unit 1 pc



SERVICE AND WORKSHOP PRODUCTS

MINI Grit Guard® Bucket

The Grit Guard® bucket helps to provide a clean, scratch-free wash. Dirt and grit will settle through the insert, providing a barrier between the clean water at the top and the dirt, grit and grime that settle to the bottom of the bucket.

83 19 2 450 329 1 unit 1 pc



Engine Cold Cleaner

Cleans oil and grease off engines and power units quickly and reliably.

83 19 2 360 950 33.8 fl oz/1 L 6 pcs



Stainless Steel Drum Pump

Pumps used for DEF must NOT be used for any other type of fluid to maintain purity.

83 19 2 357 986 1 pack 1 pc



Lithium Ion Battery

Lithium Ion Starter Battery for certain BMW M vehicles.

61 21 7 857 133 1 unit 1 pc



BMW M5 Lithium Ion Starter Battery

Lithium Ion Starter Battery for BMW M5.

61 21 7 857 288 1 unit 1 pc



Powder Spray

White powder spray for fast and safe tracing of air, water and dust leaks.

83 19 2 358 648 6.75 fl oz/200 mL 6 pcs



Gummi-Pflege Rubber Care Fluid

Long-lasting protection on all rubber seals around doors, windows, hood, and trunk. Apply a thin layer onto rubber parts to allow to dry. Helps to prevent car doors from freezing shut. Provides protection and revitalizes rubber seals. See Product Highlight page 52.

83 19 2 449 390 2.54 fl oz/75 mL 6 pcs



SERVICE AND WORKSHOP PRODUCTS

Powder-Free Nitrile Gloves, black

Outstanding strength, wear, and dexterity; Textured for excellent chemical resistance and great grip.

83 19 2 420 869	Size: Small	1 box/100 ct
83 19 2 420 870	Size: Medium	1 box/100 ct
83 19 2 420 871	Size: Large	1 box/100 ct
83 19 2 443 937	Size: Extra Large	1 box/100 ct



Powder-Free Nitrile Gloves, green

Outstanding strength, wear, and dexterity; Textured for excellent chemical resistance and great grip.

83 19 2 455 984	Size: Small	1 box/100 ct
83 19 2 455 985	Size: Medium	1 box/100 ct
83 19 2 455 986	Size: Large	1 box/100 ct
83 19 2 455 987	Size: Extra Large	1 box/100 ct



Silicone Remover Concentrate

Highly effective cleaning concentrate for the windscreen washer system.

83 12 2 298 199	8.45 fl oz/250 mL	6 pcs
-----------------	-------------------	-------



BMW Dealer Sample Box

Convenient, sturdy, BMW-printed boxes to use when providing customers with sample products. Box dimensions 12"L x 9"W x 10.75"H.

83 19 2 456 761	10 pack	1 pc
-----------------	---------	------



Paint Protection Film Positioning Solution

After cleaning the vehicle's surface, apply the Paint Protection Film Positioning Solution to help position the Paint Protection Film on the vehicle. Dilute 0.02 fl oz of solution with 32 fl oz of water. For use with P/N 83 19 2 457 996 and P/N 83 19 2 457 995.

83 19 2 457 994	16 fl oz/473 mL	6 pcs
-----------------	-----------------	-------



Paint Protection Film Tack Solution

Apply diluted product to vehicles before and after applying Paint Protection Film to clean paint surfaces and remove Paint Protection Film adhesive. Dilute 7.75 fl oz of solution with 24.25 fl oz of water. For use with P/N 83 19 2 457 996 and P/N 83 19 2 457 994.

83 19 2 457 995	16 fl oz/473 mL	6 pcs
-----------------	-----------------	-------



Paint Protection Film Application Bottle Kit

Empty bottles for dealer use with Paint Protection Film products. Kit includes six 32 oz clear graduated bottles, six heavy duty sprayers and six generic product labels.

83 19 2 457 996	Kit	1 pc
-----------------	-----	------



Cavity Protection Wax Remover

Special cleaner for removing excess cavity protection wax from the vehicle's surface.

83 12 0 390 086	16.9 fl oz/500 mL	12 pcs
-----------------	-------------------	--------



SERVICE AND WORKSHOP PRODUCTS

BODY / PAINT / GLASS REPAIR

Repair Kit, Windscreen, Cold, 1 hour

Repair kit for cold-bonding of car windscreens, includes glass activator stick, paint activator stick, 1 hour cold adhesive, c-nozzle, universal nozzle and spacer. This application must comply with the repair manual from BMW Service.

83 19 2 289 180 Kit 1 pc



Glass Activator

For use with P/N 83 19 2 289 180 when additional Glass Activator is needed.

83 19 0 444 142 0.12 fl oz/3.5 mL 1 pc



Windscreen Adhesive, Cold, 1 hour

For use with P/N 83 19 2 289 180 when additional Windscreen Adhesive is needed.

83 19 2 289 181 10.1 fl oz/300 mL 1 pc



BODY REPAIR / BODY SHOP / ADHESIVES / SEALERS / TAPES

BMW Group Wheel Weight Removal Tool

Used to remove wheel weights.

83 19 2 456 448 1 unit 1 pc



BMW Group Wheel Weight Tape (61405)

Wheel weight tape 61405 is a lead-free, flexible, and conformable weight used to balance tires. Cut to exact length for better balance and ride, one product replaces dozens of clip on weights. 4 mm thick and 23 mm wide.

83 19 2 456 449 1 roll 1 pc



BMW Group Wheel Weight Tape (99427)

An adhesive-backed mechanical replacement for clip-on weights used on the wheel flange.

83 19 2 456 450 1 roll 1 pc



BMW Group Wheel Weight Tape Black (55428)

A black version of our flexible, conformable lead-free, corrosion-free wheel weight system.

83 19 2 456 451 1 roll 1 pc



SERVICE AND WORKSHOP PRODUCTS

BMW Group Wheel Weight Cutting Tool

Used to easily cut 3M™ wheel weights to exact length. Easy-to-read scale determines exact weight in gram or 1/4 oz increments. 3 replacement blades included in the handle.

83 19 2 456 452 1 unit 1 pc



BMW Group Wheel Weight Replacement Cutter Blades (3 pack)

A replacement kit containing replacement anvils and blades for the Wheel Weight Cutting Tool 83 19 2 456 452.

83 19 2 456 453 1 pack 3 pcs



BMW Group Wheel Weight Replacement Ruler

Provides an easy-to-read scale for measuring Wheel Weight Tape 83 19 2 456 450 and Wheel Weight Tape 83 19 2 456 449 to the exact weight. It is designed to be used with the Wheel Weight Cutting Tool 83 19 2 456 452.

83 19 2 456 454 1 unit 1 pc



BMW Group Wheel Surface Cleaner Prep 2000

For use in cleaning and prepping wheels for wheel weight application. Scotch-Brite pad included.

83 19 2 455 979 16 fl oz/473 mL 1 pc



BMW Group Wheel Weight Dual Box Attachment

Allows the wheel weight cutting stand to hold two boxes of 3M™ Wheel Weight Tape 83 19 2 456 449 or 83 19 2 456 450.

83 19 2 456 455 1 unit 1 pc



Hot Melt Adhesive

A general purpose adhesive with good thermal and electrical properties. Bonds to various substrates, including polyolefins.

83 19 2 409 987 5/8" x 8" 15 pcs



Hot Melt Applicator Gun

Applicator increases ease of use and loading capacity. 150 watts; 120 VAC voltage; 385 °F (196 °C); utilizes 5/8" x 8" sticks.

83 19 2 409 988 1 pack 1 pc



SERVICE AND WORKSHOP PRODUCTS

Silicone Sealant 1209

Silicone-based, permanently elastic sealing compound. Temperature resistant up to more than 200 °C. For all surface and flange seals on engines and transmissions; especially on M51 engines. Color: transparent.

07 58 9 062 376 1 fl oz/30 mL 1 pc



Cavity Protection

Cavity protection after accident repair work. Easy to spray on anticorrosion agent for areas that are not easily accessible and confined sheet-metal spaces. Infiltrates and displaces moisture.

83 42 0 428 348 33.8 fl oz/1 L 1 pc



Cavity Protection Spray

Cavity protection spray for spraying out the interior of cavities for subsequent treatment of cavity sealing following accident repair work.

83 42 0 428 190 13.5 fl oz/400 mL 1 pc



Adhesive Kit BL-K1

Kit contains: (1) Reiniger R-1 Multi-Purpose Solvent 125mL, (1) Adhesive BL-K1 80mL, (1) Applicator tip, (1) Spatula, (1) Sheet Sandpaper 1.5" x 8.5", (1) Instruction Sheet.

82 69 9 408 866 Kit 1 pc



K3 Body Adhesive

2C adhesive for bonding carbon-fiber-reinforced plastic components, e.g. for repairing roof outer skin of M6 (carbon-fiber-reinforced plastic roof). Important: Please observe repair instruction.

83 19 0 417 144 20.3 fl oz/600 mL 1 pc



Structural Foam

Two-part structural foam to increase the stiffness, stability, fatigue strength and improve the vibration behavior.

83 19 0 007 361 14.20 fl oz/420 mL 1 pc



Adhesive K4

Paste-type 2K-methacrylate adhesive which hardens at room temperature. BMW use: Material for clip repair, roof strip.

83 19 2 149 520 1.69 fl oz/50 mL 1 pc



SERVICE AND WORKSHOP PRODUCTS

Reiniger R1 Autobody Repair Primer

Use only as directed by BMW service or repair procedures.

83 19 2211 217 3.38 fl oz/100 mL 1 pc



Adhesive Set 2K

Kit contains: (1) R-1 Autobody and Glass Primer 125mL, (1) Adhesive BL-K2 pt A 100mL, (1) Adhesive BL-K2 pt B 100mL, (1) Adhesive BL-K2 pt C 15mL, (1) Cartridge holder, (2) Mixing tips, (1) Tip connector, (1) Cartridge opener, (2) Applying daubers
Note: This product often received with minimal shelf life. Order only as needed.

83 19 2453 908 Kit 1 pc



K1 Bodywork Adhesive

Adhesive for mounting body parts.

83 19 0413 015 6.59 fl oz/195 mL 1 pc



K2 Bodywork Adhesive

Adhesive for mounting the roof on F01/F02.

83 19 2355 849 2 x 3 fl oz/2 x 290 mL 1 pc



K5a Bodywork Adhesive

Adhesive for mounting body parts.

83 19 2158 654 1.69 fl oz/50 mL 1 pc



K5b Bodywork Adhesive

Adhesive for mounting body parts.

83 19 2157 298 6.59 fl oz/195 mL 1 pc



Mixing Nozzles for K5a & K5b

Mixing nozzles for dual component adhesives.

83 19 2344 550 Kit 1 Kit (contains 10 nozzles each)



SERVICE AND WORKSHOP PRODUCTS

K6 Adhesive Kit

A 2 component cyanoacrylate adhesive specifically selected for the retrofitting of PDC sensors in a vehicle's bumper. The kit also contains a specialty primer designed to work with cyanoacrylate to enhance the effectiveness.

83 19 2 317 925 Kit 1 pc



Mixing Nozzles for K6 Set

Spare nozzles for K6 adhesives.

83 19 2 336 502 Kit 1 Kit (contains 10 nozzles each)



BMW 2C Metal Putty Kit

Kit contains: 100g Metal Putty and 10g Hardener.

83 19 2 288 329 Kit 1 pc



Primer P2 Gas Cartridge

For refilling of hand flaming equipment & devices.

83 19 0 302 555 27.5 g/0.97 oz 1 pc



Coupling Agent Primer P1

Greatly improves surface activity in preparation for coating or bonding.

83 19 0 302 556 1.69 fl oz/50 mL 1 pc



Seam Sealant

Sealing compound on polymer basis. Interlaces (cures) through absorbing humidity into a rubber-elastic material with good abrasion resistance.

83 42 2 409 985 10.14 fl oz/300 mL 1 pc



Betawipe 4800

Adhesion promoting activator for bonding with body work adhesive K2.

83 19 2 357 707 0.33 fl oz/10 mL 1 pc



SERVICE AND WORKSHOP PRODUCTS

Loctite 272

High strength locking and sealing of large bolts and studs.
Slow hardening, stable vibration free.

83 19 2 358 485 1.69 fl oz/50 mL 1 pc



Adhesive Tape

For preventing creaking noises on roof rail/door sealing joints.

83 19 9 407 798 1 roll 1 pc



Adhesive Tape

To position windshield/rear window when gluing. DO NOT use outdoors and should not remain on the vehicle outdoors.

83 19 9 410 979 1 roll 1 pc



Butyl Cord Sealant T-2460

For mounting acoustic insulation; self-adhesive. Six 6 mm (0.236") diameter strips at 3.33 m (10.9') each. Total length: 20 m (65.4').

83 19 0 000 537 1 roll 1 pc



Butylband Sealant T-81

15 mm x 1.5 mm x 10 m (0.6" x 0.06" x 10.9 yds).

83 19 0 153 321 1 roll 1 pc



Butyl Tape T-81, 10 mm

Self-adhesive, plastic butyl tape which is resistant to aging. Good adhesion on a dry, grease-free base. Application: Sealing sheet metal joints, sub-layers, sheet metal overlaps, etc. Color: black.

81 22 0 441 263 1 roll 1 pc



Butyl Pad T-81, 4 mm

Self-adhesive, plastic butyl tape which is resistant to aging. Good adhesion on a dry, grease-free base. Application: Sealing sheet metal joints, sub-layers, sheet metal overlaps, etc. Color: black.

91 22 0 442 636 1 roll 1 pc



Butyl Tape T-81, 7 mm

Self-adhesive, plastic butyl tape which is resistant to aging. Good adhesion on a dry, grease-free base. Application: Sealing sheet metal joints, sub-layers, sheet metal overlaps, etc. Color: black.

83 19 0 416 659 1 roll 1 pc



SERVICE AND WORKSHOP PRODUCTS

Orange Masking Tape, 18 mm

To be used in the body shop to aid and assist with paint.


83 19 2 327 633 1 roll 12 pcs



Double-Sided Adhesive Tape

Double-sided adhesive tape for attaching add-on parts such as fender strips, decorative strips, emblems, and for windscreen repair.

83 19 0 445 309 1 roll 1 pc



Butyl Cord L10m D4 mm

Self-adhesive, plastic butyl tape which is resistant to aging. Good adhesion on a dry, grease-free base. Application: Sealing sheet metal joints, sub-layers, sheet metal overlaps, etc. Color: black.

83 22 2 159 535 1 roll 1 pc



BULK DETAILING

Detail Tire Dressing

50 state legal solvent-based tire shine formula. Engineered to be 'sling-free,' medium gloss level for a semi-wet look. See Product Highlight page 53.

83 19 2 412 523 5 gal/18.9 L 1 pc



Detail Wheel & Rim Cleaner

Acid-free formula that safely cleans and brightens wheels. Reacts with iron particles in brake dust to help clean. This reaction can be witnessed as its happening as the formula changes to a deep purple color. Does not degrade clearcoats or other finishes. See Product Highlight page 53.

83 19 2 412 521 5 gal/18.9 L 1 pc



Detail Car Shampoo Concentrate

Concentrated formula, dilute 2 oz with 1 gallon of water before using. Creates superior water beading properties that leaves a durable wax-like finish. Will not strip wax or other protective coatings previously applied. Designed to help reduce water spotting. See Product Highlight page 53.

83 19 2 412 519 5 gal/18.9 L 1 pc



Detail Leather Cleaner & Conditioner

Designed to clean, condition, and protect all smooth leather surfaces. Contains conditioning oils to help maintain and restore the leather's natural luster. Formulated with a powerful UV absorber to aid in protecting the leather from the sun. See Product Highlight page 53.

83 19 2 412 524 5 gal/18.9 L 1 pc



SERVICE AND WORKSHOP PRODUCTS

Detail Glass Cleaner Concentrate

Concentrated formula, dilute 8 oz with 1 gallon of water before using. Fast drying, streak free formula. Safe to use on all glass surfaces, including both factory and aftermarket tinted windows. See **Product Highlight** page 53.

83 19 2 412 520 5 gal/18.9 L 1 pc



Detail Interior Cleaner Concentrate

Concentrated formula, dilute 8 oz with 1 gallon of water before using. Safe to use on nearly all interior surfaces (leather, carpet, upholstery, and plastic). Formulated with highly effective grease cutters and particulate soil cleaners. See **Product Highlight** page 53.

83 19 2 412 522 5 gal/18.9 L 1 pc



Detailing Product Kit

Consists of 1 of each 5 gallon detailing product and a 6 bottle accessory kit. Detailing products include leather cleaner and conditioner, glass cleaner concentrate, wheel and rim cleaner, interior cleaner concentrate, car shampoo concentrate, and tire dressing. See **Product Highlight** page 53.

83 19 2 414 189 Kit 1 pc



Detail Application Bottle Kit, 6 pieces

Consists of 1 of each 5 gallon detailing product and a 6 bottle accessory kit. Detailing products include leather cleaner and conditioner, glass cleaner concentrate, wheel and rim cleaner, interior cleaner concentrate, car shampoo concentrate, and tire dressing.

83 19 2 414 104 Kit 1 pc



PRODUCT HIGHLIGHTS

AUTOMATIC TRANSMISSION FLUID

MINI ATF Type JWS 3309	83 22 2 220 438	33.8 fl oz/1 L
ATF-1 (ETL 7045 E)	83 22 2 305 395	33.8 fl oz/1 L
ATF-2 (previously M 1375.4)	83 22 2 220 445	33.8 fl oz/1 L
DEXRON®-VI	83 22 2 163 514 83 22 0 397 114	33.8 fl oz/1 L 1.06 US gal/4 L
ATF-4 (previously LT 71141/ ATF 1)	83 22 2 220 442	33.8 fl oz/1 L
ATF-5 (previously MINI EM-CVT EZL 799 A)	83 22 2 344 207	33.8 fl oz/1 L
ATF-6	83 22 2 355 599	33.8 fl oz/1L

Product Descriptions

ATF-1, 2, 4, 5: Mineral automatic transmission fluids with a high degree of power reserve. Excellent protection against wear and favorable friction characteristics. Guarantees perfect functioning of the fluid drive even in the most difficult operating conditions and following great fluctuations in temperature. Provides extremely good lubrication qualities and outstanding corrosion prevention. Highly compatible with seals.

ATF-5, 6 & JWS 3309: Highly refined base oils and additives.

Applications

JWS 3309: For MINI AISIN automatic transmission in R52/R53 Cooper S.

ATF-5: For CVT gearbox in MINI One (type RA31/32) as well as MINI Cooper (RC31/32/33, RF31/32/33).

DEXRON®-VI: For the GM6 automatic gearbox.

Advantages

- Extreme protection against wear
- Ideal friction characteristics
- High degree of thermal stability
- Good oxidation stability
- No frothing
- High load-bearing capacity
- High level lubricity
- Good viscosity/temperature behavior, all-year use
- Outstanding low temperature behavior

Competitive Comparison

These are the only products approved by BMW and MINI.



PRODUCT HIGHLIGHTS

MANUAL TRANSMISSION FLUID

DTF 1	83 22 2 409 710	33.8 fl oz/1 L
MTF-LT- 4	83 22 2 339 223	33.8 fl oz/1 L
MTF-2 (previously MTF 94)	83 22 2 344 589	33.8 fl oz/1 L
MTF- 1 (SAE-80)	81 22 2 339 384	33.8 fl oz/1 L
Final Drive Gear Oil C-SAF-XO SAE 75W-90	07 51 2 293 972	33.8 fl oz/1 L
Final Drive Gear Oil C-SAF-JX	83 22 2 357 992	33.8 fl oz/1 L
MTF-LT-5 SAE 75W80	83 22 2 239 654	33.8 fl oz/1 L
DCTF-1 Double Clutch Fluid SAE 75-W	83 22 0 440 214	33.8 fl oz/1 L

Product Descriptions

Based on high-quality and on-aggressive base oils – combined with the addition of modern additives which are optimally matched to the individual transmission components – these fluids meet the most exacting demands on the convenient engagement/disengagement characteristics of the transmission.

Applications

These fluids are characterized by extremely high shear stability and were specially developed for cars with manual transmissions.

Advantages

- Promotes easy, comfortable gear changing
- Protects the transmission throughout the entire service life of the transmission fluid
- Helps to reduce the fuel consumption
- Excellent stability against temperature and oxidation
- Good properties in cold conditions
- Good compatibility with seals
- Maximum quality consistency in all properties
- Sophisticated and thorough quality control procedures ensure consistently high product quality
- Extends the durability and service life of bearings
- Rugged extreme pressure performance protects against scuffing, pitting, and wear on the gearwheels
- Rust and corrosion protection
- Oxidation stability prevents thickening of oil during operation and keeps the transmission clean and free from harmful deposits
- Good suppression of foaming

Environmental Compatibility

Please dispose of used lubricants and empty containers via authorized specialist companies. Do not discharge lubricants into drains, soil, or water.

Competitive Comparison

These are the only products approved by BMW and MINI.



PRODUCT HIGHLIGHTS

BMW AEROSOL LUBE & PROTECTION SPRAY HTL-S

Product Description

A rust-preventative aerosol product that is free from Barium and other heavy metals. Deposits a thin, waxy film that provides excellent protection on ferrous metal surfaces.

83 19 2 446 565

467 g/16.5 oz

Application

BMW preventative aerosol product is safe to use on all vehicles.

Advantages

- Excellent salt spray protection
- Provides humidity protection
- Helps to displace water
- Non-staining
- Good creep characteristics
- Provides excellent lubrication
- Silicone free
- Contains anti-wear additives and offers extreme pressure protection

Competitive Comparison

This is the only product approved by BMW.



PRODUCT HIGHLIGHTS

BMW GROUP RUST OFF

Product Description

Designed to remove corrosion and free frozen fittings. Product is great for cleaning and protecting from rust.

83 19 2 446 564

312 g/11 oz

Application

This product is designed for use in all BMW Group vehicles.

Advantages

- Non-flammable
- Non-conductive- prevents arcing, can be used on energized equipment
- Displaces moisture
- Prevents corrosion
- Penetrates small cracks and crevices
- Lubricates: never dry formula works as a parts protector
- Low odor
- Cone spray: goes where you want it, includes extension tube
- Contain no ozone propellants and are fully recyclable
- Made in America

Competitive Comparison

This is the only product approved by BMW.



PRODUCT HIGHLIGHTS

BMW GROUP GLASS CLEANER

Product Description

Excellent for windows, mirrors, windshields, and other difficult to clean glass surfaces; ammonia-free; streakless shine

83 19 2 446 567

539 g/19 oz

Application

BMW industrial strength glass cleaner is safe to use on all vehicles.

Advantages

- Safe on window tint
- Will not affect a mirror's silver
- Removes all minerals that lead to spotting
- High soil load/highly concentrated
- Pulls soil away and holds it
- Works on interior off gassing residues
- Requires less product to do the job
- Clinging foam that stays where you put it/does not run
- Pleasant fragrance that smells clean, but not strong
- Works best with BMW microfiber or soft cloth
- Contains no ozone propellants and is fully recyclable
- Made in America

Competitive Comparison

This is the only industrial glass cleaner product approved by BMW.



PRODUCT HIGHLIGHTS

GUMMI-PFLEGE RUBBER CARE FLUID

Product Description

Long-lasting protection on all rubber seals around doors, windows, the hood, and trunk. Perfect for protecting and revitalizing rubber seals on sunroofs, doors, and engine compartment seals. Water-based and silicone-free formula keeps seals flexible and repels water, preventing rubber seals from freezing in winter. Also provides UV protection. The convenient foam pad applicator allows for precise application.

83 19 2 449 390

2.54 fl oz/75 mL

Application

BMW Gummi-Pflege Rubber Care Fluid is safe to use on all vehicles.

Advantages

- Helps to prevent car doors from freezing shut
- Provides protection and revitalizes rubber seals on sunroofs, doors, and engine compartment seals
- Temperature resistant for long lasting protection
- Convenient foam pad applicator allows precise application
- Provides UV protection

Competitive Comparison

This is the only product approved by BMW.



PRODUCT HIGHLIGHTS

BMW GROUP DETAILING

Detailing Car Shampoo Concentrate	83 19 2 412 519	5 gal/18.9 L
Detailing Glass Cleaner Concentrate	83 19 2 412 520	5 gal/18.9 L
Detailing Interior Cleaner Concentrate	83 19 2 412 522	5 gal/18.9 L
Detailing Leather Cleaner & Conditioner	83 19 2 412 524	5 gal/18.9 L
Detailing Wheel & Rim Cleaner	83 19 2 412 521	5 gal/18.9 L
Detailing Tire Dressing	83 19 2 412 523	5 gal/18.9 L
Detailing Product Kit	83 19 2 414 189	Kit

Product Descriptions

Car Shampoo: This specially-formulated vehicle wash brings out the vehicle's ultimate factory finish while protecting the wax layer during washing.

Glass Cleaner: Removes exterior and interior dirt and residue without streaking.

Interior Cleaner: Gently and quickly cleans the fabrics and plastics in the vehicle's interior. This special formula will keep your BMW in showroom condition and leave a fresh, clean scent.

Leather Cleaner & Conditioner: Designed to clean, condition, and protect all smooth leather surfaces. Contains conditioning oils to help maintain and restore the leather's natural luster. Formulated with a powerful UV absorber to aid in protecting the leather from the sun.

Wheel & Rim Cleaner: Acid-free formula that safely cleans and brightens wheels. Reacts with iron particles in brake dust to help clean. Does not degrade clear coats or other finishes.

Tire Dressing: Solvent-based tire shine formula. Engineered to be 'sling-free,' medium gloss level for a semi-wet look.

Product Kit: Consists of one of each five gallon detailing product and a six bottle accessory kit. Detailing products include leather cleaner and conditioner, glass cleaner concentrate, wheel and rim cleaner, interior cleaner concentrate, car shampoo concentrate, and tire dressing.

Advantages

- Protects wax layer on vehicle
- Cleans car without damaging
- Protects leather
- UV protected
- Gives factory finish look

Competitive Comparison

These are the only products approved by BMW.



© 2018 BMW of North America, LLC. This brochure, or any portion thereof, may not be reproduced without the express written permission of BMW of North America, LLC. The BMW name, logo, model names are registered trademarks. All rights reserved.

CHEM0618 06/18

**BMW
GROUP**

